ELSEVIER

Wear 188 (1995) 193

WEAR

Author Index of Volume 188

Baker, T.N., 185
Bercea, I., 1, 11
Bhat, D.G., 123
Blanpain, B., 130
Bonis, M., 66
Buijs, M., 102

Celis, J.P., 130
Creţu, S., 1, 11

De With, G., 102, 142

Ehira, A., 175
Ersoy, A., 150

Fujiki, A., 175
Fukahori, Y., 19

Ganghoffer, J.F., 88
Gotlib, V.A., 166
Gurcan, A.B., 185

Haseeb, A.S.M.A., 61
Hauffe, W., 108
Hsiau, J.-S., 77
Hübner, W., 108

Islam, M.A., 61
Itoh, A., 115
Ivanyk, E.G., 49

Kuhn, E., 138
Kurny, A.S.W., 61

Lewnard, J.J., 33
Lian, Y., 56
Lindsley, B.A., 33

Maekawa, K., 115
Marder, A.R., 33
Mitu, N., 1, 11
Mohrbacher, H., 130

Narasimhan, K., 123

Ootani, T., 175

Prasad Boppana, S., 123
Prashad, H., 97

Qunji, X., 27

Rapoport, L., 166
Roos, J.R., 130

Salganik, R.L., 166
Schultz, J., 88

Stals, L., 130
Su, Y.-T., 77
Sweegers, N., 142

Tian, Y., 66

Van der Varst, P.G.Th., 102
Van Stappen, M., 130
Verspui, M.A., 102

Waller, M.D., 150
Wang, B.-Q., 40
Wang, S.-Y., 77

Xue, Q., 56

Yahata, N., 175
Yamazaki, H., 19
Yevtushenko, A.A., 49
Yong, W., 27
Yu, L., 56

Elsevier Science S.A.

ELSEVIER

Wear 188 (1995) 195–197

WEAR

Subject Index of Volume 188

AA6061 Al alloy
wear behaviour of AA6061 aluminium alloy and its composites, 185
Abrasion
wear characteristics of PDC pin and hybrid core bits in rock drilling, 150
Abrasion pattern
mechanism of rubber abrasion. Part 3: how is friction linked to fracture in rubber abrasion?, 19
Abrasion theory
mechanism of rubber abrasion. Part 3: how is friction linked to fracture in rubber abrasion?, 19
Abrasive
wear behaviour of AA6061 aluminium alloy and its composites, 185
Adhesive and abrasive wear
study of wear of as-cast and heat-treated spheroidal graphite cast iron under dry sliding conditions, 61
Aluminum
friction and wear characteristics of P-containing antiwear and extreme pressure additives in the sliding of steel against aluminum alloy, 27
Analytical method
analytical approach for the determination of the dynamic coefficients of hybrid bearings, 66
As-cast and heat-treated iron
study of wear of as-cast and heat-treated spheroidal graphite cast iron under dry sliding conditions, 61
Asymptotic method
a deductive theory of friction, 88

Bearings
diagnosis of bearing problem of synchronous condenser—an experimental and theoretical investigation, 97
Bed thickness
bed thickness and particle size distribution in three-body abrasion, 102
Bond parameter
the correlation among the tribological characteristic parameters of rare earth trifluorides and their electron structures, bond parameters, and thermodynamic parameters, 56
Boundary lubrication
friction and wear characteristics of P-containing antiwear and extreme pressure additives in the sliding of steel against aluminum alloy, 27
Brittle
erosion–corrosion of coatings by biomass-fired boiler fly ash, 40
Brittle materials
bed thickness and particle size distribution in three-body abrasion, 102
Brittle wear
a model of brittle-dominated wear due to delayed fracture (vertical crack growth), 166

Cemented carbide
development of a graded TiCN coating for cemented carbide cutting tools—a design approach, 123
Chemically active compounds
erosion–corrosion of coatings by biomass-fired boiler fly ash, 40
Chemical vapour deposition (CVD)
development of a graded TiCN coating for cemented carbide cutting tools—a design approach, 123
CMC
the effect of erosional wear on strength and residual stress during shaping of ceramic multilayer capacitors, 142
Coating
oxidational wear of TiN coatings on tool steel and nitrided tool steel in unlubricated fretting, 130
Correlation
the correlation among the tribological characteristic parameters of rare earth trifluorides and their electron structures, bond parameters, and thermodynamic parameters, 56
Crack growth
a model of brittle-dominated wear due to delayed fracture (vertical crack growth), 166
Craters
diagnosis of bearing problem of synchronous condenser—an experimental and theoretical investigation, 97
Cutting tools
development of a graded TiCN coating for cemented carbide cutting tools—a design approach, 123

Damping
analytical approach for the determination of the dynamic coefficients of hybrid bearings, 66
Delayed fracture
a model of brittle-dominated wear due to delayed fracture (vertical crack growth), 166
Discrete contact
stochastic contact model of rough frictional heating surfaces in mixed friction conditions, 49
Drilling
wear characteristics of PDC pin and hybrid core bits in rock drilling, 150
Dry sliding
study of wear of as-cast and heat-treated spheroidal graphite cast iron under dry sliding conditions, 61
Ductile
erosion–corrosion of coatings by biomass-fired boiler fly ash, 40

Elastohydrodynamic lubrication
a dynamic analysis of tapered roller bearing under fully flooded conditions. Part 1: Theoretical formulation, 1
a dynamic analysis of tapered roller bearings under fully flooded conditions. Part 2: Results, 11
on machining rate of hydrodynamic polishing process, 77

Elsevier Science S.A.

Electrical current
diagnosis of bearing problem of synchronous condenser—an experimental and theoretical investigation, 97
Energy level
description of the energy level of tribologically stressed greases, 138
Engine valve
impact wear characteristics of engine valve and valve seat insert materials at high temperature (impact wear tests of austenitic heat-resistant steel SUH36 against Fe-base sintered alloy using plane specimens), 175
Erosion
the effect of circulating fluidized bed particle characteristics on erosion of 1020 carbon steel, 33
subsurface deformation of steel by solid particle impact investigated by ion beam slope cutting and scanning electron microscopy, 108
Erosional weal
the effect of erosional wear on strength and residual stress during shaping of ceramic multilayer capacitors, 142
Erosion–Corrosion
erosion–corrosion of coatings by biomass-fired boiler fly ash, 40
Extreme pressure additives
friction and wear characteristics of P-containing antiwear and extreme pressure additives in the sliding of steel against aluminum alloy, 27

Fluidized bed circulation
the effect of circulating fluidized bed particle characteristics on erosion of 1020 carbon steel, 33
Fly ash
erosion–corrosion of coatings by biomass-fired boiler fly ash, 40
Fretting wear
oxidational wear of TiN coatings on tool steel and nitrided tool steel in unlubricated fretting, 130
Friction
mechanism of rubber abrasion. Part 3: how is friction linked to fracture in rubber abrasion?, 19
a deductive theory of friction, 88
friction and tool wear in nano-scale machining—a molecular dynamics approach, 115
oxidational wear of TiN coatings on tool steel and nitrided tool steel in unlubricated fretting, 130
Friction temperature
stochastic contact model of rough frictional heating surfaces in mixed friction conditions, 49

Glass
bed thickness and particle size distribution in three-body abrasion, 102
Gradient coating
development of a graded TiCN coating for cemented carbide cutting tools—a design approach, 123
Greases
description of the energy level of tribologically stressed greases, 138

High temperature
impact wear characteristics of engine valve and valve seat insert materials at high temperature (impact wear tests of austenitic heat-resistant steel SUH36 against Fe-base sintered alloy using plane specimens), 175
HVOF thermal spray coating
erosion–corrosion of coatings by biomass-fired boiler fly ash, 40

Hybrid journal bearing
analytical approach for the determination of the dynamic coefficients of hybrid bearings, 66
Hydrodynamic polishing process
on machining rate of hydrodynamic polishing process, 77
Hydrostatic
analytical approach for the determination of the dynamic coefficients of hybrid bearings, 66

Impact wear
impact wear characteristics of engine valve and valve seat insert materials at high temperature (impact wear tests of austenitic heat-resistant steel SUH36 against Fe-base sintered alloy using plane specimens), 175
Induction
diagnosis of bearing problem of synchronous condenser—an experimental and theoretical investigation, 97
Intermediate layer
a deductive theory of friction, 88
Ion beam cutting
subsurface deformation of steel by solid particle impact investigated by ion beam slope cutting and scanning electron microscopy, 108
Ion beam etching
subsurface deformation of steel by solid particle impact investigated by ion beam slope cutting and scanning electron microscopy, 108

Lubricants
diagnosis of bearing problem of synchronous condenser—an experimental and theoretical investigation, 97

Machining
development of a graded TiCN coating for cemented carbide cutting tools—a design approach, 123
Machining rate
on machining rate of hydrodynamic polishing process, 77
Metal matrix composites
wear behaviour of AA6061 aluminium alloy and its composites, 185
Mixed friction conditions
stochastic contact model of rough frictional heating surfaces in mixed friction conditions, 49
Molecular dynamics
friction and tool wear in nano-scale machining—a molecular dynamics approach, 115

Nano-scale machining
friction and tool wear in nano-scale machining—a molecular dynamics approach, 115

Oxidation
impact wear characteristics of engine valve and valve seat insert materials at high temperature (impact wear tests of austenitic heat-resistant steel SUH36 against Fe-base sintered alloy using plane specimens), 175

Particle characterization
the effect of circulating fluidized bed particle characteristics on erosion of 1020 carbon steel, 33
Particle impact
the effect of circulating fluidized bed particle characteristics on erosion of 1020 carbon steel, 33
subsurface deformation of steel by solid particle impact investigated by ion beam slope cutting and scanning electron microscopy, 108

Particle shape
the effect of circulating fluidized bed particle characteristics on erosion of 1020 carbon steel, 33
Particle size
bed thickness and particle size distribution in three-body abrasion, 102
PDC
wear characteristics of PDC pin and hybrid core bits in rock drilling, 150
Plasma nitriding
oxidational wear of TiN coatings on tool steel and nitrided tool steel in unlubricated fretting, 130

Residual stress
the effect of erosional wear on strength and residual stress during shaping of ceramic multilayer capacitors, 142
Rheology
description of the energy level of tribologically stressed greases, 138
Rock
wear characteristics of PDC pin and hybrid core bits in rock drilling, 150
Rolling bearing dynamics
a dynamic analysis of tapered roller bearings under fully flooded conditions. Part 2: Results, 11
Rolling bearings dynamics
a dynamic analysis of tapered roller bearing under fully flooded conditions. Part 1: Theoretical formulation, 1
Rubber abrasion
mechanism of rubber abrasion. Part 3: how is friction linked to fracture in rubber abrasion?, 19

Shaping
the effect of erosional wear on strength and residual stress during shaping of ceramic multilayer capacitors, 142
Shearing
description of the energy level of tribologically stressed greases, 138
SiC+Saffil
wear behaviour of AA6061 aluminium alloy and its composites, 185
Sliding
wear behaviour of AA6061 aluminium alloy and its composites, 185
Small perturbations
analytical approach for the determination of the dynamic coefficients of hybrid bearings, 66
Spheroidal graphite cast iron
study of wear of as-cast and heat-treated spheroidal graphite cast iron under dry sliding conditions, 61
Statistical analysis
stochastic contact model of rough frictional heating surfaces in mixed friction conditions, 49
Steel
subsurface deformation of steel by solid particle impact investigated by ion beam slope cutting and scanning electron microscopy, 108
Stiffness
analytical approach for the determination of the dynamic coefficients of hybrid bearings, 66
Strength
the effect of erosional wear on strength and residual stress during shaping of ceramic multilayer capacitors, 142
Subsurface structure
subsurface deformation of steel by solid particle impact investigated by ion beam slope cutting and scanning electron microscopy, 108
Surface damage
diagnosis of bearing problem of synchronous condenser—an experimental and theoretical investigation, 97
Surface deformation
subsurface deformation of steel by solid particle impact investigated by ion beam slope cutting and scanning electron microscopy, 108

Tapered roller bearings
a dynamic analysis of tapered roller bearing under fully flooded conditions. Part 1: Theoretical formulation, 1
a dynamic analysis of tapered roller bearings under fully flooded conditions. Part 2: Results, 11
Thermodynamic parameter
the correlation among the tribological characteristic parameters of rare earth trifluorides and their electron structures, bond parameters, and thermodynamic parameters, 56
Thermomechanical quantities
stochastic contact model of rough frictional heating surfaces in mixed friction conditions, 49
Three-body abrasion
bed thickness and particle size distribution in three-body abrasion, 102
TiCN
development of a graded TiCN coating for cemented carbide cutting tools—a design approach, 123
Tool wear
friction and tool wear in nano-scale machining—a molecular dynamics approach, 115
Tribological characteristic parameter
the correlation among the tribological characteristic parameters of rare earth trifluorides and their electron structures, bond parameters, and thermodynamic parameters, 56
Tribo-oxidation
oxidational wear of TiN coatings on tool steel and nitrided tool steel in unlubricated fretting, 130
Trifluoride
the correlation among the tribological characteristic parameters of rare earth trifluorides and their electron structures, bond parameters, and thermodynamic parameters, 56

Variational formulations
a deductive theory of friction, 88
Viscoplasticity
a deductive theory of friction, 88
Viscous fluid
a deductive theory of friction, 88

Wear
study of wear of as-cast and heat-treated spheroidal graphite cast iron under dry sliding conditions, 61
wear characteristics of PDC pin and hybrid core bits in rock drilling, 150
wear behaviour of AA6061 aluminium alloy and its composites, 185
Wear mechanism
study of wear of as-cast and heat-treated spheroidal graphite cast iron under dry sliding conditions, 61
Wear rate
impact wear characteristics of engine valve and valve seat insert materials at high temperature (impact wear tests of austenitic heat-resistant steel SUH36 against Fe-base sintered alloy using plane specimens), 175